FORM PTO-1449, Adapted

LIST OF INFORMATION DISCLOSED BY APPLICANT

		RAD	EMARK	(Use seve	eral sheets if nec	essary)			
			SERIAL NO. 09/491,500		FILING DATE January 26, 2000				
APPLICANT		and Nagendra S. Ning	arai		GROUP 1632				
Keitii L. E	olack a	and Magentina 5. 14mg	araj	U.S. PA	TENT DOCUM	IENTS			
EXAMINER INITIAL		DOCUMENT NUMBER	DATE		NAME	NAME CLASS SUBCLASS		FILING DATE IF APPROPRIATE	
Ama	AA	5,518,499	05/21/06 Agar						
Ama	AB	5,767,160		/16/98 Kaesemeyer					
					ding Author, Tit				
Armstead, W.M., Contribution of kea channel activation to hypoxic cerebrovasodilation does not involve NO, Brain Res, 799:44-48 (1998). ABSTRACT ONLY.						does not involve NO,			
1	AD	Barna, M., et	Barna, M., et al., Activation of type III nitric oxide synthase in astrocytes following a neurotropic viral infection, Virology, 223: 331-343 (1996).						
	AE	effects in hum	Becker, E.M., et al., The vasodilator-stimulated phosphoprotein (VASP): target of YC-1 and nitric oxide effects in human and rate platelets, J Cardiovasc Pharmacol, 35(3):390-7 (2000). ABSTRACT ONLY.						
	AF		Boje, K.M., Inhibition of nitric oxide synthase attenuates blood-brain barrier disruption during experimental meningitis, Brain Research, 720:75-83 (1996).						
	AG	microvascula	Brandt, L., et al., Effects of topical application of calcium antagonist (nifedipine) on feline cortical pial microvasculature under normal conditions and in focal ischemia, Journal of Cerebral Blood Flow and Metabolism, 3:44-50 (1983).						
	AH		Brioni, J.D., et al., Activators of soluble guanylate cyclase for treatment of male erectile dysfunction, International Journal of Impotence Research, 14:8-14 (2002).						
	AI	Bychkov, R., coronary arte	Bychkov, R., et al. Calicum-activated potassium channels and nitrate-induced vasodilation in human coronary arteries, <u>J Pharacol Exp Therap</u> , 285:293-8 (1998). ABSTRACT ONLY.						
	AJ		Chandran, S., et al., Nitric oxide: concepts, current perspectives and future therapeutic implications, <u>Indian</u> <u>Journal of Pharmacology</u> , 30:351-366 (1998).						
	AK		Chi, O.Z., et al. Effect of inhibition of nitric oxide synthase on blood-brain barrier transport in focal cerebral ischemia, Pharmacologylogy, 48:367-373 (1994).						
	AL		Cloughesy, T.F., et al., <i>Pharmacological blood-brain barrier modification for selective drug delivery</i> , Journal of Neuro-Oncology, 26:125-132 (1995).						
	AM		Feelisch, M., The use of nitric oxide donors in pharmacological studies, Naunyn-Schmiedeberg's Arch Pharmcol, 358:113-122 (1998).						
	AN		Fukao, M., et al., Cyclic GMP-dependent protein kindase activates cloned BKCa channels expressed in mammalian cells by direct phophorylation at serine 1072, J Biol Chem, 274(16):10927-35 (1999).						
	AO		Fukumura, D., et al., Role of nitric oxide in angiogenesis and microcirculation in tumors, Cancer and Metastasis Reviews, 17:77-89 (1998).						
V	AP		He, P., et al., cGMP modulates basal and activated microvessel permeability independenty of [Ca2+]i, Am J Physiol, 274:H1865-74 (1998). ABSTRACT ONLY.						
Ama	Herrera, G.M., et al., Maintained vasodilatory response to cromakalim after inhibition of nitric exide synthesis, J Cardiovasc Pharmacol, 31:921-9 (1998). ABSTRACT ONLY					fnitric oxide			
EXAMINER Anne-Marie Falk DATE CONSIDERED 8/30/04									
EXAMIN conforman	ER: I	Initial if reference considered. Include	dered, whethe e copy of this	r or not cita form with n	tion is in conformation	ance with MPEI in to applicant.	9 609; Dr	w line through	citation if not in
			. ,						

LIST OF INFORMATION DISCLOSED BY APPLICANT (Use several sheets if necessary)

ATTY. DOCKET NO. SERIAL NO. 09/491,500			FILING DATE January 26, 2000			
APPLICANT Keith L. Black and Nagendra S. Ningaraj			GROUP 1632			
		OTHER REFERENCES (Include	ding Author, Title, Date, Pertinent Pages, Etc.)			
Ama	AR	Holschermann, H., et al., Dual role of endothelial cells, Am J Physiol, 272:1	f cGMP in modulation of macromolecule permeability of aortic H91-8 (1997). ABSTRACT ONLY.			
}	AS		in-barrier by intracarotid infusion of papaverine in treatment of Medical Journal, 111(8):751-753 (1998).			
	AT	Hurst, R.D., et al., Nitric oxide-induced Journal of Cellular Physiology, 167:8	ed perturbations in a cell culture model of the blood-brain barrier, 9-94 (1996).			
	AU	Inamura, T., et al., Intracarotid histamine infusion increases blood tumour permeability in RG2 glioma, Neurological Research, 16:125-128 (1994).				
	AV	Inamura, T., et al., Intracarotid infusion of RMP-7, a bradykinin analog: a method for selective drug delivery to brain tumors, J Neurosurg, 81:752-758 (1994).				
	AW	Janigro, D., et al., Regulation of blood-brain barrier endothelial cells by nitric oxide, Circulation Research, 75:528-528 (1994).				
	AX	Kimura, M., et al., Responses of human basilar and other isolated arteries to novel nitric oxide donors, <u>I</u> Cardiovasc Pharmacol, 32: 695-701 (1998). ABSTRACT ONLY.				
	AY	Koesling, D., Modulators of soluble guanylyl cyclase, Naunyn-Schmiedeberg's Arch Pharmacol, 358:123-126 (1998).				
	AZ	Liu, Y., et al., Repeated, short-term ischemia augments bradykinin-mediated opening of the blood-tumor barrier in rats with RG2 glioma, Neurological Research, 23:631-639 (2001).				
	BA	Lohse, M.J., et al., <i>Pharmacology of NO:cGMP signal transduction</i> , Naunyn-Schmiedeberg's Arch Pharmcol, 358:111-112 (1998).				
	BB	Matukado, T., et al., Selective Increase in Blood Tumor Permeability by Calcium Antagonists in Transplanted Brain Tumors, Acta Neurochir, 60: 403-405 (1994).				
	BC	Mayer, B., et al., Nitric oxide synthases: catalytic function and progress toward selective inhibition, Naunyn-Schmiedeberg's Arch Pharmcol, 358:127-133 (1998).				
	BD	Mayhan, W.G., Role of nitric oxide in histamine-induced increases in permeability of the blood-brain barrier, Brain Research, 743:70-76 (1996).				
	BE	Mayhan, W.G., et al., Glutamate-induced disruption of the blood-brain barrier in rats, Stroke, 27:965-970 (1996).				
V	BF	Nakano, S., et al., Increased brain microvessel permeability after intracarotid bradykinin infusion is mediated by nitric oxide, Cancer Research, 56:4027-4031 (1996).				
Amo	BG	Ningaraj, N.S., et al., Role of ATP-sensitive K+ channels in blood-brain tumor barrier permeability, Congress of Neurological Surgeons Annual Meeting, 50 th Anniversary Celebration, September 23-28, 2000, Henry B. Gonzalez Convention Center, San Antonio, Texas, ABSTRACT No. 4309, p. 215.				
EXAMINE	ER A	nne-Marie Falk	DATE CONSIDERED 8/30/04			
		tial if reference considered, whether or not citation considered. Include copy of this form with ne	on is in conformance with MPEP 609; Draw line through citation if not in			

FORM PTO-1449, Adapted

(Use several sheets if necessary)

ATTY. DOC	KET NO.	SERIAL NO.	FILING DATE		
09/491,500 APPLICANT Keith L. Black and Nagendra S. Ningaraj			January 26, 2000 GROUP 1632		
permeability, Congress of Neurologic		permeability, Congress of Neuro	nt K+ channels are a key regulatory of blood-brain tumor barrier cal Surgeons Annual Meeting, 50 th Anniversary Celebration, September evention Center, San Antonio, Texas, ABSTRACT No.428, p. 219.		
	BI		e donors increase blood-brain tumor barrier permeability via Kca channels, nnual Meeting, New Orleans, LA, November 4-9, 2000, 26 Part 1, p. 338,		
	BJ Ningaraj, N.S., et al., Regulation of blood-brain tumor barrier permeability by calcium-activated channels, The Journal of Pharmacology, June 2002, 301: 838-851				
	BK	Pardrige, W., et al., Blood -brain (1992).	barrier and new approaches to drug delivery, West J Med, 156:281-286		
	BL Robertson, B.E., et al., cGMP-dependent protein kinase activates Ca-activated K channels in cerebra smooth muscle cells, Am J Physiol, 265:C299-C303 (1993). BM Sobey, C.G., et al., Inhibitory effect of 4-aminopyridine on responses of the basilar artery to nitric ox Pharmacol, 126:1437-43 (1999). ABSTRACT ONLY.				
	BN	Salom, J.B., et al., Relaxant effect Pharmacology, 57:79-97 (1998).	ets of sodium nitroprusside and NONOates in rabbit basilar artery, ABSTRACT ONLY.		
	ВО		relaxant effects of the NO donors sodium nitroprusside, DEA/NO and ies, Gen Pharmacol, 32:75-59 (1999). ABSTRACT ONLY.		
	BP		ts of sodium nitroprusside and NONates in goat middle cerebral artery: chemia-reperfusion, <u>Nitric Oxide</u> , 3:85-93 (1999). ABSTRACT ONLY.		
	BQ	Shukla, A., et al., Nitric oxide-de Experientia, 52:136-140 (1996).	pendent blood-brain barrier permeability alteration in the rat brain,		
	BR	Smolenski, A., et al., Functional analysis of cGMP-dependent protein kinases I and II as mediators of NO/cGMP effects, Naunyn-Schmiedeberg's Arch Pharmacol, 358:134-138.			
	BS	Sugita, M., et al., Cyclic GMP-specific phosphodiesterase inhibition and intracarotid bradykinin infusion enhances permeability in brain tumors, Cancer Research, 58:914-920 (1998).			
V	ВТ	Takayasu, M., et al., Effects of calcium antagonists on intracerebral penetrating arteriolesi in rats, <u>I</u> Neurosurg, 69:104-109 (1988).			
Amor	BU		on of bradykinin type 2 receptors on glioma cells enhances bradykinin- ier permeability increase, Neurological Research, 24:739-745		
EXAMINE	ER An	ne-marie Falk	DATE CONSIDERED 8/30/04		
		tial if reference considered, whether or not of considered. Include copy of this form wi	citation is in conformance with MPEP 609; Draw line through citation if not in ith next communication to applicant.		

FORM PTO-1449, Adapted

INFORMATION DISCLOSED BY APPLICANT (Use several sheets if necessary)

		EMADI			
ATTY, DOCKET NO. SERIAL NO. 09/491,500			FILING DATE January 26, 2000		
APPLICANT Keith L. Black and Nagendra S. Ningaraj			GROUP 1632		
Ttotal B. E			S (Including Author, Title, Date, Pertinent Pages, Etc.)		
Uchida, M., et al., Cyclic GMP-dependent blood-brain tumor barrier permeability is not mediated GMP-dependent protein kinase, Congress of Neurological Surgeons Annual Meeting, 50th Anniver Celebration, September 23-28, 2000, Henry B. Gonzalez Convention center, San Antonio, Texas, A. No. 440, p. 220.					
)	BW	Vodovotz, Y., et al., Regula (1999). ABSTRACT ONLY	tion of transforming growth factor beta 1 by nitric oxide, Cancer Res, 59:2142-5		
1	вх	1	nduced enhanced cerebral vasoconstriction to leukotriene C4 and endothelin-l Pediatr Res, 38:119-23 (1995). ABSTRACT ONLY.		
V	BY	Tocris Web Page, http://ww 5/31/00.	w.tocris.com/cat/nodonorstxt.html No Donors/Precursors, pp.1-2, Downloaded		
Amal	BZ	Sigma-Aldrich Web page, h	ttp://vsearch.sial.com/search 97cgi/s97-cgi, p.1, downloaded 5/31/00.		
EXAMINE	\mathbb{R}	ne-marie Dall	DATE CONSIDERED 8/30/04		
E34 A 3 (E) II			11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.